Necessity of routine follow-up in patients with a femoral neck fracture treated with hemiarthroplasty.

No registrations found.

Ethical review Not applicable **Status** Recruiting

Health condition type -

Study type Observational non invasive

Summary

ID

NL-OMON21657

Source

Nationaal Trial Register

Brief title

Routine FU HA

Health condition

Femoral neck fracture

Sponsors and support

Primary sponsor: None

Source(s) of monetary or material Support: None

Intervention

Outcome measures

Primary outcome

Treatment changes at planned and unplanned visits at the outpatient clinic. Treatment changes are defined as: antibiotics due to a wound infection and re-operation for any reason (infection and dislocation).

Secondary outcome

- -Mortality
- -Treatment after failure
- -Complications (infection, dislocation, periprosthetic fracture)

Study description

Background summary

Femoral neck fractures are common fractures and induce high health care costs [1]. Routine follow-up at the outpatient clinic in the first months postoperatively is the standard of care. Due to the high age and limited mobility of this fragile population, hospital visits are often a burden for these patients. The purpose of these outpatient visits is early detection of the occurrence of complications as infection or dislocation. It is unclear whether patients present these complications on planned or unplanned visits. Routine follow-up visits after hemiarthroplasty for a femoral neck fracture are a burden to patients and health care system. However, the clinical significance of the routine planned visits is unknown. The aim of this retrospective study is to analyze the necessity of routine follow-up after hemiarthroplasty.

Study objective

We expect that planned visits at the outpatient clinic are unnecessary due to low percentage of treatment changes. Furthermore, we expect that treatment changes will appear at unplanned visits.

Study design

01/08/20 start data collection 01/09/20 analyzing data 01/10/20 writing manuscript 01/12/20 submission manuscript

Contacts

Public

Rijnstate hospital Peter Schmitz

0649786838

2 - Necessity of routine follow-up in patients with a femoral neck fracture treated ... 22-06-2025

Scientific

Rijnstate hospital Peter Schmitz

0649786838

Eligibility criteria

Inclusion criteria

- -Fracture of the femoral neck
- -Treated with hemiarthroplasty

Exclusion criteria

-Pathological origin

Study design

Design

Study type: Observational non invasive

Intervention model: Other

Allocation: Non controlled trial

Masking: Open (masking not used)

Control: N/A, unknown

Recruitment

NL

Recruitment status: Recruiting

Start date (anticipated): 30-07-2020

Enrollment: 1000

Type: Anticipated

IPD sharing statement

Plan to share IPD: Undecided

Ethics review

Not applicable

Application type: Not applicable

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register ID

NTR-new NL8782

Other LHC Rijnstate: 2020-1672

Study results