

The treatment of depression in primary care: efficiency of computerised cognitive behaviour therapy.

No registrations found.

Ethical review	Positive opinion
Status	Recruiting
Health condition type	-
Study type	Interventional

Summary

ID

NL-OMON24008

Source

Nationaal Trial Register

Brief title

CCGT

Intervention

Outcome measures

Primary outcome

Depressive symptoms (measured by the Beck Depression Inventory).

Secondary outcome

Psychological problems, social-behavior, quality-of-life, and medical consumption.

Also, a cost-effectiveness analysis will be performed.

Study description

Background summary

Baseline measurements on 2, 3, 5, 8, and 12 months.

Study objective

N/A

Intervention

Computerised cognitive behaviour therapy vs. normal care.

Contacts

Public

M.J.H. Huibers
VU University Amsterdam, Department of Clinical Psychology
Van der Boechorststraat 1
Amsterdam 1081 BT
The Netherlands

Scientific

M.J.H. Huibers
VU University Amsterdam, Department of Clinical Psychology
Van der Boechorststraat 1
Amsterdam 1081 BT
The Netherlands

Eligibility criteria

Inclusion criteria

Patients with moderate depressive symptoms, between 18 and 65, free access to the Internet.

Exclusion criteria

All patients which do not meet the inclusion criteria.

Study design

Design

Study type:	Interventional
Intervention model:	Parallel
Masking:	Open (masking not used)
Control:	Active

Recruitment

NL	
Recruitment status:	Recruiting
Start date (anticipated):	01-12-2005
Enrollment:	300
Type:	Anticipated

Ethics review

Positive opinion	
Date:	28-06-2005
Application type:	First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
NTR-new	NL24
NTR-old	NTR45
Other	: N/A
ISRCTN	ISRCTN47481236

Study results

Summary results
N/A