

Tailored advice on running injury prevention in trail running

No registrations found.

Ethical review	Positive opinion
Status	Other
Health condition type	-
Study type	Interventional

Summary

ID

NL-OMON27805

Source

Nationaal Trial Register

Brief title

TrailS6

Health condition

- Preventive behaviour (preventiegedrag);
- Running-related injuries (hardloopblessures).

Sponsors and support

Primary sponsor: Amsterdam Collaboration on Health and Safety in Sports, Department of Public & Occupational Health and the EMGO+ Institute for Health and Care Research, VU University Medical Center

Source(s) of monetary or material Support: This study has no funding of any nature. The principal investigator of this study has a PhD scholarship granted by Capes (Coordenação de Aperfeiçoamento de Pessoal de Nível Superior), process number 0763/12-8, Ministry of Education of Brazil.

Intervention

Outcome measures

Primary outcome

- Preventive behaviour;
- Prevalence of running-related injuries repeatedly measured over time.

Secondary outcome

- Determinants of preventive behaviour (intention, attitude, subjective norm and perceived behaviour control);
- Evaluation process of the intervention (reach, effectiveness, adoption, implementation and maintenance)

Study description

Background summary

Rationale: The pandemic of physical inactivity is worrisome worldwide and efforts to reduce its burden should be considered a public health priority. Running is a way to engage people in physical activity and its health benefits are well known. However, running also carries a risk of running-related injuries (RRI), which can lead to substantial health burden to the individual and economic consequences to society.

Participation in trail running is increasing over time. However, the scarcity of epidemiological data on RRIs in trail running preclude proper recommendations for prevention of RRIs in this fast growing sport with a worldwide base of participants.

Objectives: (1) To develop an evidence-based intervention in order to prevent RRIs in trail runners; (2) to evaluate the effectiveness of the evidence-based intervention on the change of preventive behaviour and its determinants; (3) to evaluate the effectiveness of the evidence-based intervention on the prevalence of RRIs repeatedly measured over time; and (4) to evaluate the implementation of the evidence-based intervention.

Study design: Randomised controlled trial with two arms and six months of follow-up.

Study population: Individuals aged 18 or older and involved in trail running.

Main outcomes: (1) Change of preventive behaviour; and (2) prevalence of RRIs repeatedly measured over time.

Methods: After answering the baseline questionnaire, the participants will be randomly assigned to an intervention or a control group. All participants in both groups will receive general advice on RRI prevention in the beginning of the study, and they will be followed-up biweekly in order to assess their RRI status (no RRI, non-substantial RRI or substantial RRI). Based on the RRI status, the participants of the intervention group will receive evidence-based tailored advice on RRI prevention, whilst the participants of the control group will not

receive any further intervention. At baseline and after two and six months from baseline, the participants will be asked to answer a preventive behaviour questionnaire. Descriptive and longitudinal regression techniques will be performed to analyse the data.

Study objective

1. The TrailS6 intervention will be effective on changing running training and general conditioning exercise behaviours towards to running injury prevention;
2. The TrailS6 intervention will be effective on reducing the prevalence of running injuries repeatedly measured over time;
3. With regards to the process evaluation, the TrailS6 intervention will reach acceptable results in terms of effectiveness and implementation.

Study design

- Baseline, 2 and 6 months after baseline for the preventive behaviour measurements and its determinants;
- Biweekly repeated measurements throughout the study (6 months) for the prevalence of running-related injuries.

Intervention

TrailS6 is an evidence-based tailored advice intervention based on the running injury profile given by the Oslo Sports Trauma Research Centre (OSTRC) questionnaire. The intervention is aimed at changing preventive behaviour and consequently reducing the prevalence of running injuries repeatedly measured over time in trail runners.

- Intervention group: After the baseline measurements, the participants assigned to the intervention group will receive evidence-based general advice towards running injury prevention. During the follow-up, participants with no running injuries according to the OSTRC questionnaire will receive a reminder of the evidence-based general advice in order to maintain their no-injured status (primary prevention). Participants with non-substantial running injuries according to the OSTRC questionnaire will receive evidence-based tailored advice in order to prevent the non-substantial running injury to become a substantial running injury (secondary prevention). Participants with substantial running injuries according to the OSTRC questionnaire will receive evidence-based tailored advice in order to prevent further consequences or permanent damage related to running injuries (tertiary prevention).
- Control group: After the baseline measurements, the participants assigned to the control group will receive evidence-based general advice towards running injury prevention. However, during the follow-up they will not receive any further intervention.

Contacts

Public

Evert Verhagen
[default]
The Netherlands
+31 (0)20 4449684

Scientific

Evert Verhagen
[default]
The Netherlands
+31 (0)20 4449684

Eligibility criteria

Inclusion criteria

- Individuals aged 18 or older;
- Individuals involved in trail running (training and/or competition).

Exclusion criteria

Contraindications for vigorous physical activities according to the American College of Sports Medicine (ACSM) guidelines.

Study design

Design

Study type:	Interventional
Intervention model:	Parallel
Allocation:	Randomized controlled trial
Masking:	Single blinded (masking used)
Control:	Active

Recruitment

NL
Recruitment status: Other
Start date (anticipated): 01-12-2015
Enrollment: 210
Type: Unknown

Ethics review

Positive opinion
Date: 06-10-2015
Application type: First submission

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register	ID
NTR-new	NL5322
NTR-old	NTR5431
Other	2015.302 : VUmc2015-410

Study results