Identification of low allergenic apple cultivars and assessment of proper chain conditions in view of apple allergy

Published: 12-09-2006 Last updated: 14-05-2024

Identification of low allergenic apple cultivars and breeding germplasmIdentification of chains in which low allergenicity is preserved and of the critical steps in the chain for preserving low allergenicity.

Ethical review	Approved WMO
Status	Pending
Health condition type	Allergic conditions
Study type	Interventional

Summary

ID

NL-OMON30093

Source ToetsingOnline

Brief title Low allergenic apple cultivars

Condition

• Allergic conditions

Synonym apple allergy, oral allergy syndrome

Research involving Human

Sponsors and support

Primary sponsor: Universitair Medisch Centrum Groningen **Source(s) of monetary or material Support:** Europese Unie

1 - Identification of low allergenic apple cultivars and assessment of proper chain ... 17-06-2025

Intervention

Keyword: apple, food, hypoallergenicity

Outcome measures

Primary outcome

Scoring of subjective symptoms of OAS on a VAS-scale by patients

Scoring of objective symptoms, if occuring, on a symptom scale, grading 1 - 3,

by the physician

Secondary outcome

not applicable

Study description

Background summary

Apple allergy freqently occurs among older children and adults in the Dutch population. The prevalenc of apple allergy in Nothern and Central Europe is up to 2%.

Apple allergy causes Oral Allergy symptoms (OAS) which is clinically presented by mild symptoms in the oral cavity immediately following consumption of fresh, unprocessed apple.

Apple allergy occurs in concordance with birch pollen allergy (e.g. in the Netherlands), which can be explained by cross-reactivity of IgE-antibodies between birch pollen allergens (Bet v 1) and apple allergens (Mal d 1).

In patients suffering from severe OAS symptoms almost all fresh fruits cause allergic symptoms. This may affect the nutritious value of the diet and health of patients suffering from OAS symptoms in a negative way.

Low allergenic apple cultivars could be an alternative for apple allergic people

The study from Bolhaar et al, and previously performed research in the UMCG showed that the allergenicity of apple cultivars differs strongly.

The ISAFRUIT project is an integrated research project, which is initiated and funded by the European Union, aiming at increasing fruit consumption among europeans. This project is part of ISAFRUIT.

Study objective

Identification of low allergenic apple cultivars and breeding germplasm Identification of chains in which low allergenicity is preserved and of the critical steps in the chain for preserving low allergenicity.

Study design

Interventie onderzoek onder appel-allergische proefpersonen, waarbij gebruik wordt gemaakt van huidtests en open voedselprovocatie onderzoek

Intervention study in apple allergic patients, using skin prick tests by prick to prick tests, and open food challenge tests.

Intervention

year 1: apple cultivars are tests by SPT (prick to prick) year 2: oral challenge tests using least allergenic apple cultivars as well as 1 allergenic cultivar. breeding germplasms tested by SPT (prick to prick) year 3: least allergenic applel cultivars coming from different chains are tested by SPT (prick to prick) year 4: GMO Mal d 1 knocked down apple cultivars are tested by SPT oral challenge tests using GMO Mal d 1 knocked down apple cultivars as well as 1 allergenic cultivar

Study burden and risks

Burden of the patient:

Assuming the patients participate in all parts of the study, the extent of the participation is, divided over 4 years:

16 x skin prick tests (lasting 1,5 uur) = 24 hours 3 x oral food challenge (lasting 4 uur) = 12 hours total: 36 hours

The patients come to the outpatient clinic of the UMCG during 19 times

The number of hours spent on this research project by the patient decreases

3 - Identification of low allergenic apple cultivars and assessment of proper chain ... 17-06-2025

along with a decreasing participation in the project.

Possible benefits for the patient: Identification of ow allergenic apple cultivars allows for adding new fruits into the diet of patients.

Contacts

Public Universitair Medisch Centrum Groningen

Postbus 30.001 9700RB Groningen NL **Scientific** Universitair Medisch Centrum Groningen

Postbus 30.001 9700RB Groningen NL

Trial sites

Listed location countries

Netherlands

Eligibility criteria

Age Adults (18-64 years) Elderly (65 years and older)

Inclusion criteria

age 18 and above anamnestich oral allergy symptoms following eating fresh apple positive open food challenge with reference apple cultivar

Exclusion criteria

absence of anamnestic oral allergy symptoms following eating fresh apple negative open challenge with reference appel cultivar generalised or systemic symptoms following eatiing fresh aple pregnancy

Study design

Design

Study phase:	2
Study type:	Interventional
Masking:	Open (masking not used)
Control:	Uncontrolled
Primary purpose:	Treatment

Recruitment

NL	
Recruitment status:	Pending
Start date (anticipated):	01-06-2006
Enrollment:	80
Туре:	Anticipated

Ethics review

Approved WMO	
Application type:	First submission
Review commission:	METC Universitair Medisch Centrum Groningen (Groningen)

Study registrations

Followed up by the following (possibly more current) registration

No registrations found.

Other (possibly less up-to-date) registrations in this register

No registrations found.

In other registers

Register CCMO **ID** NL11846.042.06