# Validation of Images with Slit-lamp Integrated Optical coherence tomography

Published: 03-04-2009 Last updated: 06-05-2024

Of each new device it is unknown what the validity is and what the differences (advantages and disadvantages) are compared to the daily used devices. The aim of this study is to answer the question: What is the validity and are the objective benefits...

**Ethical review** Approved WMO

**Status** Pending

**Health condition type** Ocular structural change, deposit and degeneration NEC

**Study type** Observational invasive

# **Summary**

#### ID

NL-OMON35240

#### Source

**ToetsingOnline** 

#### **Brief title**

VISIO-study

#### **Condition**

Ocular structural change, deposit and degeneration NEC

#### **Synonym**

structural changes of the eye

#### Research involving

Human

### **Sponsors and support**

**Primary sponsor:** Academisch Medisch Centrum

Source(s) of monetary or material Support: Ministerie van OC&W

#### Intervention

**Keyword:** optical coherence tomography

### **Outcome measures**

### **Primary outcome**

OCT: direct comparison of B-scans, with respect to the quality and the diagnostic value of the images.

### **Secondary outcome**

practicallity of the examination, examination time and comfort of the pastient during the examination, additional (diagnostic) value of OCTscans of the anterior chamber angle and the peripheral retina.

# **Study description**

### **Background summary**

Optical Coherence Tomography (OCT) is an imaging technique used in ophthalmology. The images are detailed cross sectional images, for example, of the cornea, retina or optic nerve head. The obtained measurements give important information about the morphology of a lesion in the eye. This information is used for diagnosis and follow-up.

Recently a new device has been developed. A slit-lamp, used by the ophthalmologist for basic examination, combined with an OCT (slit-lamp integrated OCT; SLSCAN). This new device can be of use in the clinic. The ophthalmologist can examine the abnormality in the eye with the slit-lamp, and simultaneously make an OCT-scan of the exact location of the lesion. An other advantage is that all examinations can be made with one device.

### Study objective

Of each new device it is unknown what the validity is and what the differences (advantages and disadvantages) are compared to the daily used devices. The aim of this study is to answer the question:

What is the validity and are the objective benefits/limitations of the SI-OCT Topcon compared to conventional examinations (slit-lamp biomicroscopy plus OCT

2 - Validation of Images with Slit-lamp Integrated Optical coherence tomography 26-04-2025

separately) in patients with anterior segment pathology, retinopathy or glaucoma

### Study design

Prospective observational study; Evaluation of a diagnostic procedure.

### Study burden and risks

The burden to the patient is minimal and consist mainly of the time of examination with the SI-OCT. Following the standard OCT procedure, the SLSCAN will be performed. The SI-OCT procedure carries no known additional risks.

### **Contacts**

#### **Public**

Academisch Medisch Centrum

Meibergdreef 9 1105 AZ Amsterdam Nederland **Scientific** Academisch Medisch Centrum

Meibergdreef 9 1105 AZ Amsterdam Nederland

### **Trial sites**

### **Listed location countries**

**Netherlands** 

# **Eligibility criteria**

#### Age

Adults (18-64 years) Elderly (65 years and older)

### Inclusion criteria

Patients: with an indication for OCT examination and / or examination with a 3-mirror

contactlens;

Volunteers: no ocular pathology

All subjects:18 years of age or older; Willing and able to sign the informed consent, after

reading the patient information form

### **Exclusion criteria**

Cognitive disorders;

Media opacities, like cataract, causing unreliable images with the OCT

# Study design

### **Design**

**Study type:** Observational invasive

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Diagnostic

### Recruitment

NI

Recruitment status: Pending

Start date (anticipated): 01-04-2009

Enrollment: 230

Type: Anticipated

## **Ethics review**

Approved WMO

Application type: First submission

Review commission: METC Amsterdam UMC

# **Study registrations**

# Followed up by the following (possibly more current) registration

No registrations found.

## Other (possibly less up-to-date) registrations in this register

No registrations found.

## In other registers

Register ID

CCMO NL26994.018.09