

# Body Composition Validation Study

Published: 16-09-2011

Last updated: 27-04-2024

**Primary** This study aims: 1) To validate ultrasound (both on the spot & trajectory measurements) against the gold standard 3-compartment model to assess body composition. 2) To compare the accuracy of ultrasound to assess body composition with skin...

<b>Ethical review</b>	Approved WMO
<b>Status</b>	Pending
<b>Health condition type</b>	Other condition
<b>Study type</b>	Observational non invasive

## Summary

### ID

NL-OMON35857

### Source

ToetsingOnline

### Brief title

Body Composition Validation Study

## Condition

- Other condition

### Synonym

Body Composition, the composition of the human body

### Health condition

Body Composition

### Research involving

Human

## Sponsors and support

**Primary sponsor:** Philips Research

**Source(s) of monetary or material Support:** Philips Research

## Intervention

**Keyword:** Deuterium Dillution, Ultrasound, Underwater Weighing, Validation

## Outcome measures

### Primary outcome

The fat percentage a measured by:

- the 3-compartment model (under water weighing and deuterium dilution)
- ultrasound
- skin fold thickness

### Secondary outcome

- thoracic impedance as measured by the bio-electrical impedance monitor (BIM)
- body volume a measured by 3D-imaging and under water weighing

## Study description

### Background summary

Measuring body composition can be done via a wide range of technologies, ranging from highly accurate and expensive to quick and cheaper methods. The current issue is that these technologies are either not accessible for the majority of the people, or provide too low accuracy or demand proper training to be applied correctly.

Ultrasound is a risk free technology, mainly used for medical imaging purposes. This technique is capable of measuring direct thicknesses of tissue layers like subcutaneous adipose tissue and muscle mass. The most commonly used method in literature is similar to the skin fold caliper principle: measuring tissue layer thicknesses on dedicated spots on the human body. Compared to the skin fold caliper method, ultrasound distinguishes between skin and adipose tissue. Additionally, the probe contains pressure sensors to make sure the same pressure is applied constantly. In the future this will help untrained personnel to operate the device, and even make sure the probe is kept perpendicular to the skin.

A second, novel method is tested in this trial. Instead of on the spot measurements, trajectories will be scanned to gain considerably more tissue layer information compared to just spot measurements which we expect to results

in a significant gain in accuracy. These trajectories include the most commonly used spots as well. To control for scanning speed, a laser-based speed sensor is added to the experimental set up.

The secondary objective of this trial is to test a thoracic impedance measurement vest, designed to be used in the home environment (i.e. without supervision or prior expertise). Measurements of thoracic impedance can be used to evaluate fluid retention in the lung in patients with congestive heart failure. However, impedance measurements can be affected by a number of factors (electrode-skin contact, body composition, etc.). In order to obtain meaningful and comparable thoracic impedance measurements between subjects, it would be desirable to remove uncertainty due to measurable physiological factors. By investigating the relationship between body composition and thoracic impedance in healthy subjects with a range of BMI, we aim to model the effect of body composition and eventually remove this effect from the impedance measurements. This will allow thoracic bio-impedance measurements to be normalised and therefore comparable between subjects.

## **Study objective**

### **Primary**

This study aims:

- 1) To validate ultrasound (both on the spot & trajectory measurements) against the gold standard 3-compartment model to assess body composition.
- 2) To compare the accuracy of ultrasound to assess body composition with skin fold measurements.
- 3) To develop new models for assessing body composition by ultrasound technology (both on the spot & trajectory measurements), by using the 3-compartment model as the reference technique.

### **Secondary**

In addition to the main aims of the study, a parallel and independent objective will be:

- 4) To evaluate the effect of body composition (i.e. total body fat-free mass and fat mass) on inter-individual variability in thoracic bio-impedance.
- 5) To investigate the accuracy of total body volume measurements using 3D imaging in comparison to underwater weighing.

## **Study design**

The study will be a cross-sectional observational study.

## **Study burden and risks**

All techniques used specifically for this study are non-invasive. All other techniques are of a very low risk and place little burden on the subject. Subjects will be informed about the results of the study and will receive their

personal data.

## Contacts

### Public

Philips Research

HTC 34  
5856AE Eindhoven  
NL

### Scientific

Philips Research

HTC 34  
5856AE Eindhoven  
NL

## Trial sites

### Listed location countries

Netherlands

## Eligibility criteria

### Age

Adults (18-64 years)

Elderly (65 years and older)

### Inclusion criteria

Participants, between the age of 18 and 70, BMI range between 18.5 and 40 kg/m<sup>2</sup>. Ethnicity: Caucasian

### Exclusion criteria

- Participants that have any form of abnormality in body composition, such as amputation, or abnormal hydration status.

- Pregnant women.
- Participants that have known nickel allergies.
- Non-intact skin (e.g. eczema), neurodermatitis or sensitive skin
- Participants with active medical implants (e.g. pacemakers, implanted cardioverter defibrillators or implanted devices measuring intrathoracic bio-impedance).

## Study design

### Design

**Study type:** Observational non invasive

Masking: Open (masking not used)

Control: Uncontrolled

Primary purpose: Diagnostic

### Recruitment

NL

Recruitment status: Pending

Start date (anticipated): 15-08-2011

Enrollment: 60

Type: Anticipated

## Ethics review

Approved WMO

Date: 16-09-2011

Application type: First submission

Review commission: METC academisch ziekenhuis Maastricht/Universiteit Maastricht, METC azM/UM (Maastricht)

## Study registrations

### Followed up by the following (possibly more current) registration

No registrations found.

**Other (possibly less up-to-date) registrations in this register**

No registrations found.

**In other registers**

Register	ID
CCMO	NL35639.068.11