

Is 'inference-based approach', een nieuwe psychotherapeutische behandeling voor patiënten met een obsessieve compulsieve stoornis met gering inzicht, effectiever dan een behandeling met cognitieve gedragstherapie? Een gerandomiseerd gecontroleerd onderzoek.

Gepubliceerd: 06-05-2009 Laatste bijgewerkt: 13-12-2022

In a sample of patients with obsessive compulsive disorder (OCD) with poor insight, treatment with 'inference-based approach' (IBA) is superior to cognitive behavioral therapy in decreasing OCD symptom severity.

Ethische beoordeling	Positief advies
Status	Werving gestart
Type aandoening	-
Onderzoekstype	Interventie onderzoek

Samenvatting

ID

NL-OMON20491

Bron

NTR

Verkorte titel

OCD-IBA Trial

Aandoening

Obsessive compulsive disorder

Poor insight

Overvalued ideation

Inference-based approach

Cognitive-behavioral therapy

Obsessieve Compulsieve Stoornis
gering inzicht
Cognitieve gedragstherapie
IBA

Ondersteuning

Primaire sponsor: None
Overige ondersteuning: ZON-MW
Fonds Psychische Gezondheid
Stichting Steun

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

Yale-Brown Obsessive Compulsive Scale (Y-BOCS), an assessor-rated scale, measuring presence and severity of obsessive compulsive symptoms.

Toelichting onderzoek

Achtergrond van het onderzoek

The aim of this project is to improve treatment options for OCD patients with poor insight (overvalued ideation). It studies whether Inference-Based Approach (IBA), a new form of psychotherapy that was specially developed for this subgroup of OCD patients, is more effective than Cognitive Behavioral Therapy (CBT). A recent cognitive model of OCD, the inferential confusion model, provides an explanation of poor insight. In addition, O'Connor and colleagues demonstrated in 2005 in Canada that IBA, which is based on the inferential confusion model, showed a greater clinical improvement for patients with OCD and poor insight.

In this RCT, 80- patients with OCD and poor insight, recruited at the outpatient clinica of GGZ inGeest and GGZ Meerkanten will be randomised over IBA and CBT.

IBA is a new form of cognitive therapy which purposes to resolve obsessions by means of enhancing reality testing.

Patients with a primary diagnosis of OCD with poor insight are enrolled in the study.

Timepoints are baseline and posttest, after 24 weeks of treatment.

The study will provide an answer to the question whether IBA is a useful treatment for OCD patients with high levels of poor insight.

Doel van het onderzoek

In a sample of patients with obsessive compulsive disorder (OCD) with poor insight, treatment with 'inference-based approach' (IBA) is superior to cognitive behavioral therapy in decreasing OCD symptom severity.

Onderzoeksopzet

Baseline and posttest, after 24 weeks of treatment.

Onderzoeksproduct en/of interventie

Inference-based approach (IBA): This treatment points mainly to enhancing reality testing. The purpose is to resolve obsessions by enabling the patient to better differentiate between actual situations as they can perceive by using their senses, versus imaginary situations.

Control condition: Cognitive behavioral therapy.

Contactpersonen

Publiek

GGZ Meerkanten
Postbus 1000

H. Visser
Ermelo 3850 BA
The Netherlands
+31 (0)341 462350

Wetenschappelijk

GGZ Meerkanten
Postbus 1000

H. Visser
Ermelo 3850 BA
The Netherlands
+31 (0)341 462350

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

1. Outpatients, older than 18 years of age, with a primary diagnosis of OCD with poor insight;
2. Written informed consent.

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

1. Psychotic disorders;
2. Alcohol- and drug dependence.

Onderzoeksopzet

Opzet

Type:	Interventie onderzoek
Onderzoeksmodel:	Parallel
Toewijzing:	Gerandomiseerd
Blinding:	Enkelblind
Controle:	Geneesmiddel

Deelname

Nederland	
Status:	Werving gestart
(Verwachte) startdatum:	01-05-2009
Aantal proefpersonen:	80
Type:	Verwachte startdatum

Ethische beoordeling

Positief advies

Datum: 06-05-2009

Soort: Eerste indiening

Registraties

Opgevolgd door onderstaande (mogelijk meer actuele) registratie

Geen registraties gevonden.

Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

In overige registers

Register	ID
NTR-new	NL693
NTR-old	NTR1801
Ander register	:
ISRCTN	ISRCTN wordt niet meer aangevraagd

Resultaten

Samenvatting resultaten

Een nieuw verklaringsmodel voor de obsessieve-compulsieve stoornis
H.A.D. Visser, H.J.G.M. van Megen, P. Van Oppen, A.J.L.M. van Balkom
Tijdschrift voor Psychiatrie 2009 (4) 227-237.