

Gepubliceerd: 08-07-2019 Laatste bijgewerkt: 13-12-2022

OR workflow for surgeons needing to interact with the laparoscopic equipment during surgery is optimized using TedCube© in combination with the Myo™ gesture control armband and/or a wireless headset.

Ethische beoordeling	Goedgekeurd
Status	Werving nog niet gestart
Type aandoening	-
Onderzoekstype	Interventie onderzoek

Samenvatting

Verkorte titel

TedTrial

Health condition

Not applicable

Ondersteuning

Primaire sponsor :	Prof. M.P. Schijven, department of Surgery, Amsterdam UMC, location AMC.
Overige ondersteuning :	Olympus

Onderzoeksproduct en/of interventie

Uitkomstmaten

Primaire uitkomstmaten

Quantification of disruptions of workflow using the MDR in both the intervention and control group

Toelichting onderzoek

Achtergrond van het onderzoek

Rationale: Interaction with electronically controlled operating room (OR) systems embedded in modern surgical environments such as the 'STORZ OR 1' and 'Olympus ENDOALPHA' is everyday practice for surgeons performing Minimally Invasive Surgery (MIS) in our hospital. While there is a non-sterile operating nurse available in the OR, capable of interacting with these systems upon request by the surgeon, this indirect control is mostly slow, prone for error and disrupting surgical workflow. Facing an unanticipated and unwanted outcome may result in frustration and eventually even anger, both examples of distress emotions. Distress emotions are undesirable when performing surgery, since they may impact available cognitive workload. Furthermore, they may result in negative communication, hampering OR-team empowerment and effective leadership. Both factors are known to negatively influence quality and safety in the OR.

The TedCube© system is a plug and play device enabling wearable sensors to act as a wireless alternative for a regular computer mouse, therefore enabling direct hands-free and sterile control of the OR.

Objective: The aim of the TedTrial is to investigate what setup best enables surgeons to interact with the endoscopic operation room setup during surgical procedures. As a result, delays, errors and disruptions of workflow may be reduced. Outcome parameters are time from a command until complete execution of said command, number of delays, number of workflow disruptions, OR communication, distress and satisfaction. Outcome parameters will be objectified using medical data recorder (MDR) derived output. Distress will be objectified using both biometric analysis and questionnaires. Satisfaction with the hands-free system will be evaluated using a questionnaire.

Study design: This study is an observational trial with three different arms: Intervention group 1) direct interaction by surgeon with OR environment using TedCube© and Myo™ armband, Intervention group 2) direct interaction of surgeon with OR environment using Tedcube© and Plantronics© wireless microphone headset. The third arm is the control group using indirect interaction of surgeon with OR environment using third-person computer interaction. All study procedures will be performed in a MDR augmented OR, in order to objectify communication patterns, workflow disruptions, errors and delays. Surgeons in both intervention groups and the control group will wear a special t-shirt equipped with multiple sensors registering biometric parameters to objectify symptoms of distress (frustration and anger). All surgeons will be asked to complete a questionnaire post-operatively about experienced levels of frustration. In parallel, any system failure or not-executed command during control-procedures is registered. Satisfaction with the way of interaction is evaluated with a questionnaire after each surgical procedure. Subjectively reported parameters on frustration are compared between groups and correlated to objectively measured biometric parameters. Satisfaction is evaluated using a self-developed questionnaire and correlated with errors occurring during surgery.

Study population: The study population consists of volunteering gastro-intestinal MIS surgeons, since anticipated interaction with the ENDOALPHA operating system is the highest

in procedures performed in this subspecialty.

Intervention: The TedCube© will be set-up prior to every surgical procedure by researcher. No software needs to be installed on the hospital computer for the system to work, as it is a 'plug&play' device. The TedCube© simulates a remote controlled USB-mouse or -keyboard, and has the same technical functionalities as a normal computer mouse, except the input may come from wearable sensors such as armbands or microphones. TedCube© has already been tested for integration in the Olympus ENDOALPHA operating rooms and has shown to be both feasible and reliable, not breaching computer software nor AMC data protocol (pilot feasibility test).

Main study parameters/endpoints: Main endpoint of study is the number of workflow disruptions due to the operation of laparoscopic OR equipment. Secondary endpoints are error rate, delay, team communication, subjectively reported frustration and satisfaction with the system and objectively measured stress as symptom of frustration and anger as distress emotions.

Results: Primary and secondary endpoints of study are compared among groups. It is anticipated that reduction of miscommunication, error and delay may result in a reduction of distress emotions.

Doel van het onderzoek

OR workflow for surgeons needing to interact with the laparoscopic equipment during surgery is optimized using TedCube© in combination with the Myo™ gesture control armband and/or a wireless headset.

Onderzoeksopzet

05-07-2019: approval METC

01-08-2019: start first inclusion

31-12-2019: study closed

Onderzoeksproduct en/of interventie

The TedCube© (TedCas Systems S.L., Navarra, Spain) enables touchless interaction with any PC or computer system that can be controlled using USB-mouse and keyboard input. In this case, allowing for hands-free and sterile interaction with the Olympus ENDOALPHA panel. This study has three arms. Intervention arm 1 uses the TedCube system in combination with the plantronics headset to enable hands-free interaction using voice control, Intervention arm 2 uses the TedCube system in combination with Myo armband using gesture control. The third arm is the control group using third person interaction.

Contactpersonen

Publiek

Amsterdam UMC, location AMC

Marilou Jansen

0200563370

Wetenschappelijk

Amsterdam UMC, location AMC

Marilou Jansen

0200563370

Deelname eisen

Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

Elective procedures, Procedures with repetitive actions, in this study limited to:

- diagnostic laparoscopy
- laparoscopic lymph node resection
- laparoscopic appendectomy
- laparoscopic cholecystectomy
- laparoscopic Heller myotomy
- laparoscopic hernia diaphragmatica repair
- laparoscopic fundoplication
- laparoscopic stoma formation
- laparoscopic oesophageal surgery
- laparoscopic adrenal gland surgery

Procedures performed on patients aged >18 years

Informed consent of the patient to be operated on in a medical data recorder augmented OR

Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

Emergency Surgery, Absence of a circulation nurse, Surgerin In OR's other than OR 20 in the Amsterdam UMC, location AMC

Onderzoeksopzet

Opzet

Type :	Interventie onderzoek
Onderzoeksmodel :	Parallel
Toewijzing :	Gerandomiseerd
Blinding :	Open / niet geblindeerd
Controle :	Geneesmiddel

Deelname

Nederland	
Status :	Werving nog niet gestart
(Verwachte) startdatum :	01-08-2019
Aantal proefpersonen :	30
Type :	Gerealiseerd

Voornemen beschikbaar stellen Individuele Patiënten Data (IPD)

Wordt de data na het onderzoek Nee gedeeld :

Ethische beoordeling

Goedgekeurd	
Datum :	08-07-2019
Soort :	Eerste indiening

Registraties

In dit register bekende (historische) registraties

Geen registraties gevonden

In overige registers

Source : NTR

Register	ID
NTR-new	NL7857
CCMO	NL68185.018.19

Resultaten