

# **(Cost) Effectiveness of Surgery versus Prolonged Conservative Treatment in Patients with Intermittent Neurogenic Claudication caused by Lumbar Stenosis.**

Gepubliceerd: 17-02-2010 Laatst bijgewerkt: 15-05-2024

Possibly a 6 months prolonged conservative treatment approach with a standardized exercise protocol, education/counseling by the general practitioner, prescription of analgesics and eventually delayed surgery in a smaller population of patients with...

<b>Ethische beoordeling</b>	Niet van toepassing
<b>Status</b>	Werving nog niet gestart
<b>Type aandoening</b>	-
<b>Onderzoekstype</b>	Interventie onderzoek

## **Samenvatting**

### **ID**

NL-OMON27394

### **Bron**

Nationaal Trial Register

### **Verkorte titel**

ESPRIT Trial

### **Aandoening**

Lumbar stenosis

Neurogenic claudication

Surgical treatment

Nonoperative treatment

Lumbale kanaalstenose

Neurogene claudicatio

Chirurgische behandeling

Non-operatieve behandeling

## Ondersteuning

**Primaire sponsor:** Leids Universitair Medisch Centrum

**Overige ondersteuning:** ZonMW

## Onderzoeksproduct en/of interventie

### Uitkomstmaten

#### Primaire uitkomstmaten

1. Zurich Claudication Questionnaire;
- <br>2. Shuttle walking test.

## Toelichting onderzoek

### Achtergrond van het onderzoek

N/A

### Doel van het onderzoek

Possibly a 6 months prolonged conservative treatment approach with a standardized exercise protocol, education/counseling by the general practitioner, prescription of analgesics and eventually delayed surgery in a smaller population of patients with persisting complaints is a more (cost)effective approach.

### Onderzoeksopzet

Written questionnaires at initial visit, during randomization and at 4, 12, 26, 38, 52, 104, 156, 208, 260 weeks after randomization.

Outpatient clinic physical examination at randomization and 12, 26, 52, 104, 260 weeks after randomization.

## Onderzoeksproduct en/of interventie

A 6 months prolonged conservative treatment approach with a standardized exercise protocol, education/counseling by the general practitioner, prescription of analgesics and eventually delayed surgery in a smaller population of patients with persisting complaints.

# Contactpersonen

## Publiek

Albinusdreef 2  
G.M. Overdevest  
Leiden 2333 ZA  
The Netherlands  
+31 (0)71 5262144

## Wetenschappelijk

Albinusdreef 2  
G.M. Overdevest  
Leiden 2333 ZA  
The Netherlands  
+31 (0)71 5262144

## Deelname eisen

### Belangrijkste voorwaarden om deel te mogen nemen (Inclusiecriteria)

1. At least 50 years old;
2. At least 3 months intermittent neurogenic claudication, as noted by leg/buttock/groin pain with or without back pain or fatigue in the legs provoked by walking. Leg/buttock/groin pain or fatigue needs to be strongly relieved when flexed such as when sitting in a chair;
3. Has a narrowed lumbar spinal canal, nerve root canal or intervertebral foramen at one or more levels confirmed by MRI;
4. Has a regular indication for surgical intervention of INC;
5. Informed consent.

### Belangrijkste redenen om niet deel te kunnen nemen (Exclusiecriteria)

1. Has a cauda equina syndrome defined as neural compression causing neurogenic bowel

(rectal incontinence) or bladder dysfunction (bladder retention or incontinence);

2. Has Paget's disease, severe osteoporosis or metastasis to the vertebrae;
3. Has significant scoliosis (Cobb angle > 25 degrees);
4. Has a Body Mass Index > 40 kg/m<sup>2</sup>;
5. Has previously had a laminectomy at the same level, has degenerative or lytic spondylolisthesis grade >1 (on a scale 1 to 4) at the affected level or has significant instability of the lumbar spine;
6. Has severe comorbid conditions that will increase the risk to the patient or interfere with the evaluability of this study (e.g. severe ischemic heart disease, musculoskeletal or neurological conditions impairing walking ability, cognitive impairment (MMSE <25 points);
7. Unable to read or write Dutch.

## Onderzoeksopzet

### Opzet

Type:	Interventie onderzoek
Onderzoeksmodel:	Parallel
Toewijzing:	Gerandomiseerd
Blinding:	Open / niet geblindeerd
Controle:	Actieve controle groep

### Deelname

Nederland	
Status:	Werving nog niet gestart
(Verwachte) startdatum:	01-07-2010
Aantal proefpersonen:	280
Type:	Verwachte startdatum

## Ethische beoordeling

Niet van toepassing

Soort: Niet van toepassing

## Registraties

### Opgevolgd door onderstaande (mogelijk meer actuele) registratie

ID: 36278

Bron: ToetsingOnline

Titel:

### Andere (mogelijk minder actuele) registraties in dit register

Geen registraties gevonden.

## In overige registers

Register	ID
NTR-new	NL2099
NTR-old	NTR2216
CCMO	NL31589.058.10
ISRCTN	ISRCTN wordt niet meer aangevraagd.
OMON	NL-OMON36278

## Resultaten

### Samenvatting resultaten

N/A